

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 1/12  
(30616566/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## PT ALPINE PRESSURIZED FLY BAIT

#### Recommended use of the chemical and restriction on use

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1, CANADA

Contact address:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932  
USA  
Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 640597  
EPA Registration number: 499-568

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

STOT SE	3 (Vapours may cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Flam. Aerosol	2	Flammable aerosols

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 2/12  
(30616566/SDS\_CPA\_US/EN)

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H223	Flammable aerosol.
H229	Pressurized container: May burst if heated.
H336	May cause drowsiness or dizziness.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

### Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % Inhalation - mist

## 3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 3/12  
(30616566/SDS\_CPA\_US/EN)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
165252-70-0	1.0 %	Dinotefuran
115-10-6	10.0 - 15.0%	dimethyl ether
67-64-1	25.0 - 50.0%	Acetone

### **According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
67-64-1	15.0 - 30.0%	Acetone
115-10-6	10.0 - 15.0%	dimethyl ether
165252-70-0	1.0 %	Dinotefuran
	54.0 - 74.0%	Proprietary ingredients

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 4/12  
(30616566/SDS\_CPA\_US/EN)

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 5/12  
(30616566/SDS\_CPA\_US/EN)

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.  
Protect from temperatures above: 130 °F  
Explosive at or above indicated temperature.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m <sup>3</sup> ; TWA value 750 ppm 1,800 mg/m <sup>3</sup> ; STEL value 1,000 ppm 2,400 mg/m <sup>3</sup> ;
	ACGIH TLV	STEL value 500 ppm ; TWA value 250 ppm ;

### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 6/12  
(30616566/SDS\_CPA\_US/EN)

### 9. Physical and Chemical Properties

Form:	aerosol
Odour:	of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	pale straw yellow
pH value:	approx. 8 - 10 ( 1 %(m), 25 °C)
Melting temperature:	The product has not been tested.
Boiling point:	-23.7 °C
Flash point:	Information applies to the solvent. -41 °C
Flammability:	Information applies to the solvent. Extremely flammable.
Flammability of Aerosol Products:	17.78 cm (ASTM D 3065) no flashback
NFPA 30B flammability:	Level 1 Aerosol
Lower explosion limit:	3.3 %(V) Information applies to the solvent.
Upper explosion limit:	26.2 %(V) Information applies to the solvent.
Autoignition:	350 °C Information applies to the solvent.
Vapour pressure:	approx. 5100 hPa ( 20 °C) Information applies to the solvent.
Density:	approx. 1.00 g/cm <sup>3</sup> ( 20 °C)
Vapour density:	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 2.34 mPa.s ( 20 °C)
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See MSDS section 7 - Handling and storage.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 7/12  
(30616566/SDS\_CPA\_US/EN)

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### Oral

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg (OECD Guideline 425)

No mortality was observed.

#### Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.09 mg/l (OECD Guideline 403)

Exposure time: 4 h

No mortality was observed.

#### Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

#### Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 8/12  
(30616566/SDS\_CPA\_US/EN)

### Eye

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

### Buehler test

Species: guinea pig  
Result: Skin sensitizing effects were not observed in animal studies.  
Method: OECD Guideline 406

## Chronic Toxicity/Effects

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: Acetone*

*Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: Acetone*

*Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

-----

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.  
Has a degreasing effect on skin.

## Symptoms of Exposure



# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 9/12  
(30616566/SDS\_CPA\_US/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

#### Aquatic invertebrates

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*

#### Aquatic plants

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

#### Chronic toxicity to aquatic invertebrates

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

No observed effect concentration 0.089 mg/l, *Mysidopsis bahia*

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment biodegradation and elimination (H2O)

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

Not readily biodegradable (by OECD criteria).

### Bioaccumulative potential

#### Assessment bioaccumulation potential

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 10/12  
(30616566/SDS\_CPA\_US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment bioaccumulation potential

*Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

-----

### **Mobility in soil**

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

-----

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container disposal:**

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

---

## 14. Transport Information

### **Land transport**

USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER, ACETONE/DIMETHYLKETONE)

### **Sea transport**

IMDG

Hazard class:	2.1
ID number:	UN 1950

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 11/12  
(30616566/SDS\_CPA\_US/EN)

Hazard label: 2.1  
Marine pollutant: NO  
Proper shipping name: AEROSOLS (contains DIMETHYLETHER,  
ACETONE/DIMETHYLKETONE)

### **Air transport** IATA/ICAO

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE (contains DIMETHYLETHER,  
ACETONE/DIMETHYLKETONE)

### **Further information**

This product may be classified as limited quantity in selected package sizes.

---

## 15. Regulatory Information

### **Federal Regulations**

#### **Registration status:**

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Acute; Chronic; Fire; Sudden release of pressure

<b><u>CERCLA RQ</u></b>	<b><u>CAS Number</u></b>	<b><u>Chemical name</u></b>
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6	dimethyl ether

### **State regulations**

<b><u>State RTK</u></b>	<b><u>CAS Number</u></b>	<b><u>Chemical name</u></b>
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
MA	67-64-1	Acetone
	115-10-6	dimethyl ether
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether

### **Labeling requirements under FIFRA**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:  
KEEP OUT OF REACH OF CHILDREN.  
Aerosol container contains flammable gas under pressure.

# Safety Data Sheet

## PT ALPINE PRESSURIZED FLY BAIT

Revision date : 2016/03/28  
Version: 2.0

Page: 12/12  
(30616566/SDS\_CPA\_US/EN)

---

### 16. Other Information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2016/03/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET